

Cleary &
Co. 1905

TUESDAY,
APRIL 25

TUESDAY,
APRIL 25

CATALOGUE
OF
Sander's Orchid Sale

A very large and splendid selection
of well-grown, healthy and vigorous
Plants, arranged in lots to suit both
the trade and large buyer,

FROM

SANDER'S NURSERIES
ENGLAND AND BELGIUM

WHICH WILL BE SOLD AT

CLEARY'S
Horticultural Auction Rooms

62 VESEY STREET, NEW YORK CITY

AT 12.30 P. M.

Tuesday, April 25, 1905

NOTICE

Colored illustrations of the varieties here offered will be on view day of sale.

This will be found an excellent opportunity to all lovers of this interesting genus to acquire a very varied, as well as a free-flowering collection of plants.

All are in first-class condition, true to name, and, if suspended in a conservatory, or near the roof of any warm greenhouse, they will grow and flower with freedom.

Every care will be taken with commissions sent to us and experienced men will attend to the packing and shipping.

TERMS OF SALE:

STRICTLY CASH

ILLUSTRATIONS OF MANY OF THE PLANTS OFFERED ON VIEW
DAY OF SALE

The Richly Colored Burmese Type of

Dendrobium Wardianum Giganteum

Which is the Finest of All.

The plants here offered are in splendid order and the present season is the best to purchase. Place them immediately in pans, baskets or pots, they will commence to grow at once, and in the late autumn and at Christmas the pendulous bulbs will produce scores of blossoms on each, which measure individually 3 and 4 inches across. Sepals and petals wax-white, tipped with magenta. The large open lip has the same colors with an orange centre, blotched on each side with sanguineous crimson.

The brilliant colors are most effective, and the plants can be used for all kinds of decoration.

Lot

1	One selected many-bulbed plant imported	
2	do	do
3	do	do
4	do	do
5	do	do
6	do	do
7	do	do
8	do	do
9	do	do
10	do	do
11	do	do
12	do	do
13	do	do
14	do	do
15	do	do

Lot

16 One selected many-bulbed plant imported

17 do do

18 do do

19 do do

20 do do

21 do do

22 do do

23 do do

24 do do

25 do do

26 Four fine plants imported

27 do

28 do

29 do

30 do

31 do

32 do

33 do

34 do

35 do

36 do

37 do

38 do

39 do

40 do

41 do

42 do

43 do

44 do

45 do

46 do

47 do

48 do

49 do

50 do

51 do

52 do

53 do

54 do

Lot

55 Four fine plants imported

56 do

57 do

58 do

59 do

60 do

61 do

62 do

63 do

64 do

65 do

66 do

67 do

68 do

69 do

70 do

71 do

72 do

73 do

74 do

75 do

76 Six fine plants imported

77 do

78 do

79 do

80 do

81 do

82 do

83 do

84 do

85 do

86 do

87 do

88 do

89 do

90 do

91 do

92 do

93 do

Lot

94	Six fine plants, imported
95	do
96	do
97	do
98	do
99	do
100	do
101	do
102	do
103	do
104	do
105	do
106	do
107	do
108	do
109	do
110	do
111	do
112	do
113	do
114	do
115	do
116	do
117	do
118	do
119	do
120	do
121	do
122	do
123	do
124	do
125	do

CYPRIPEDIUM SEEDLINGS

The following are seedlings raised from crosses effected with superior forms of the finest species, but their origin cannot definitely be stated, as the records of their parentages have been lost.

Lot

126	One strong healthy plant
127	do do
128	do do
129	do do
130	do do
131	do do
132	do do
133	do do
134	do do
135	do do

Laelio-Cattleya Gottoiana

(*L. Tenebrosa x C. Warneri*)

A large flowered glorious variety. Sepals and petals light rose, lip rose purple; the whole bloom is a choice display of warm coloring.

Lot

136 Strong, healthy plant, 9 bulbs, 2 are leads

ONCIDIUM SPLENDIDUM

A splendid orchid. A real boon to the florist. Flowers in mid-winter. Blossoms large, showy, longer lasting; in every way attractive; borne on tall, sometimes branching, spikes. Sepals and petals barred with rich chocolate; lip broad and spreading, entirely of a rich golden yellow.

Lot

137 to 141 One selected plant

SPECIMENS OF

LAELIA PURPURATA

APPLY TERMED THE KING OF LAELIAS.

It is difficult to find a more superb exhibition plant. The very large blossoms appear 4 and 5 together on a stem during

spring, white and light rose, with a rich dark crimson lip and a golden yellow throat. It is one of the easiest and most satisfactory orchids to grow, either for exhibition or cutting purposes.

Lot

142 to 146 Grand, strong bulbed specimen, many leads

DENDROBIUM HYBRIDS

A superb collection of beautiful varieties; only the very finest parents have been utilized, and well-grown, healthy plants are offered.

DENDROBIUM ARTEMUS

(Splendidissimum Grandiflorum x Aureum Galton Park Var.)

Lot

147 Strong healthy plant, 4 bulbs

DENDROBIUM OWENIANUM

(Linawianum Var. Majus x Wardianum)

Lot

148 Strong healthy plant, 7 bulbs, 1 strong growth

DENDROBIUM LEECHIANUM ROSEUM

(Nobile x Aureum)

Lot

149 Strong healthy plant, 7 bulbs, 1 strong growth

DENDROBIUM GERMINYANUM

(Aureum Var. Philippinense x Nobile Var. Pendulum)

Lot

150 Strong healthy plant, 6 bulbs

DENDROBIUM CASSIOPE

(Moniliforme v Nobile Var. Albiflorum)

Lot

151 Strong healthy plants, 4 bulbs, 1 strong growth

PHALAENOPSIS LUDDEMANIANA

A very pretty species and lasting for a very long time in bloom. Sepals and petals white, beautifully striped with amethyst in the lower half, and with cinnamon brown in the upper half. The lip is a bright purple, but paler toward the margin.

Lot

152	Fine healthy plant,	3	strong growths	
153	do	do	2	do
154	do	do	1	do

Phalaenopsis Rimestodiania

A strong grower, bearing splendid spikes of very large and beautiful flowers of great substance and purest whiteness, except for the yellow markings on the lip.

Lot

155	Strong healthy plant,	1	growth
156	do	do	do

DENDROBIUM FINDLAYANUM

The best type of this splendid winter-flowering species. Among the most handsome, useful, and floriferous of all Dendrobiums. Flowers produced in great profusion, most handsome and effective for all kinds of decoration. Sepals and petals white, suffused with pink, darkest at the tips, lip deep orange yellow, paling to golden yellow.

It is one of the most profitable Orchids to grow for cutting purposes, and hence is specially suited to the florist.

Imported Plants

Lot

157	One selected many-bulbed plant	
158	do	do
159	do	do
160	do.	do

Lot

161 One selected many-bulbed plant
162 do do
163 do do
164 do do
165 do do
166 do do
167 do do
168 do do
169 do do
170 do do
171 do do
172 do do
173 do do
174 do do
175 do do
176 do do
177 do do
178 do do
179 do do
180 do do
181 do do
182 Two very fine plants
183 do
184 do
185 do
186 do
187 do
188 do
189 do
190 do
191 do

CYPRIPEDIUM SARGENTEANUM

Lot

192 Strong healthy plant, 6 growths

LAELIA PRAESTANS

This little Orchid is most gorgeous in the Orchid House toward the autumn, when there is but little else in flower. The

flowers are very long in proportion to the plant, up to 5 inches in diameter, and among them many choice varieties are to be found. The pure white form is among the rarest and most valuable of Orchids.

Lot

193 to 201 One selected plant
202 to 207 Two fine plants

ODONTOGLOSSUM GRANDE

Its usefulness for cutting is well known; the enormous flowers are among the largest of the genus. Its compact habit and free-flowering qualities have made it an Orchid universally admired.

Lot

208 One selected plant

209 do
210 do
211 do
212 do
213 do
214 do
215 do
216 do
217 do

Lot

218 to 221 Two fine plants.

SELECTED HYBRID ORCHIDS

Cattleya, Laelia, and Laelio-Cattleya

HYBRIDS UNFLOWERED

Selected from the best varieties of the parent plants. All of flowering size and strength, well grown and in excellent health. Many beautiful hybrids have bloomed from those we sold last

season, and it gives us great pleasure to again offer a select collection.

Lælia Crispa x Cattleya Trianæ

Lot

222 Strong healthy plant, 9 bulbs, 2 are leads

Lælio-Cattleya Bletchleyensis x Lælia Flava

Lot

223 Strong healthy plant, 4 bulbs, 1 is a lead

Cattleya Harrisoniæ x Lælia Tenebrosa

Lot

224 Strong healthy plant, 5 bulbs, 2 are leads

Lælia Purpurata x Cattleya Warneri

Lot

225 Strong healthy plant, 3 bulbs, 1 is a lead

Lælia Crispa x Cattleya Gaskelliana

Lot

226 Strong healthy plant, 8 bulbs, 2 are leads

Cattleya Harrisoniæ x Cattleya Schilleriana

Lot

227 Strong healthy plant, 3 bulbs, 1 is a lead

Lælia Purpurata x Lælia Flava

Lot

228 Strong healthy plant, 5 bulbs, 1 is a lead

Cattleya Leopoldi x Cattleya Gigas Sanderiana

Lot

229 Strong healthy plant, 4 bulbs, 1 is a lead

Cattleya Velutina x Cattleya Hardyana

Lot

230 Strong healthy plant, 3 bulbs, 1 is a lead

Lælia Purpurata x Cattleya Labiata

Lot
231 Strong healthy plant, 3 bulbs, 1 is a lead

Cattleya Trianæ x Cattleya Amethystoglossa

Lot
232 Strong healthy plant, 3 bulbs, 1 is a lead

Cattleya Schilleriana x Lælia Purpurata

Lot
233 Strong healthy plant, 3 bulbs, 1 is a lead

Lælia Tenebrosa x Lælia Digbyana

Lot
234 Strong healthy plant, 3 bulbs, 1 is a lead

Lælia Tenebrosa x Cattleya Mossiæ

Lot
235 Strong healthy plant, 3 bulbs, 1 is a lead

Lælio-Cattleya Martinetti x Lælia Digbyana

Lot
236 Strong healthy plant, 4 bulbs, 1 is a lead

Lælia Jongheana x Lælia Flava

Lot
237 Strong healthy plant, 5 bulbs, 1 is a lead

Lælia Flava x Lælia Elegans

Lot
238 Strong healthy plant, 5 bulbs, 1 is a lead

Lælio-Cattleya Calistoglossa x Lælia Crispa

Lot
239 Strong healthy plant, 3 bulbs, 1 is a lead

Cattleya Bicolor x Cattleya Aurea

Lot

240 Strong healthy plant, 4 bulbs, 1 is a lead

Cattleya Aurea x Cattleya Gigas

Lot

241 Strong healthy plant, 4 bulbs, 1 is a lead

THE CELESTIAL VANDA

(*Vanda Cœrulea*)

The finest blue-flowered Orchid in cultivation; spikes many-flowered, each bloom measuring 4 inches across, of a clear sky blue, with darker neuration. This is the finest type, with large flat blossoms.

Lot

242 Strong selected plant
243 do do
244 do do
245 do do
246 do do
247 do do
248 do do
249 do do
250 do do
251 do do

CYMBIDIUM SANDERAE

Magnificent New Species

This new Cymbidium has sepals and petals of ivory whiteness, the front lobe of the lip being heavily blotched with crimson purple. It was unanimously awarded a First-Class Certificate by the Orchid Committee of the Royal Horticultural Society of England on the 17th of May, 1904. As many as seven of its

large blossoms are produced on a spike, and oftentimes a bulb produces two or more spikes.

Lot

252 Strong healthy semi-established plant, 2 old bulbs, 1 strong growth

CATTLEYA LABIATA

The true old autumn-flowering Cattleya. It is the easiest Cattleya to grow; one of the finest for cutting; five and six large blossoms on a spike; long lasting and very useful.

Lot

253 One selected plant

254 do do

255 do do

256 do do

257 do do

258 do do

259 do do

260 do do

261 do do

262 do do

263 do do

264 do do

265 do do

266 do do

267 do do

268 do do

269 do do

270 do do

271 do do

272 do do

ODONTOGLOSSUM CRISPUM

The True "Pacho" Variety

The large round-flowered type. It is most grand for cutting and all floral purposes, of easy culture and never fails to be admired. As a lasting white-flowered Orchid it is without a rival.

Lot		
273	One selected plant	
274	do	do
275	do	do
276	do	do
277	do	do
278	do	do
279	do	do
280	do	do
281	do	do
282	do	do

LAELIO-CATTLEYA ACIS

(L. Tenebrosa x C. Mendelii)

A very pretty hybrid, the sepals and petals of which are cream white beautifully marked with rose on the outer halves. The lip is cream white with handsome ruby-purple front.

Lot

283	Strong healthy plant, 6 bulbs
-----	-------------------------------

DENDROBIUM DEVONIANUM

Since first discovered this splendid species has held its own as one of the most delicately lovely, exquisitely-colored species in the genus. The flowers are borne in twos and threes for three parts of the length (often four feet) of the slender pendulous stems. The individual flowers are large, having cream-colored rose-flushed sepals, yellowish magenta-tipped, ciliated petals, and a broad cucullate lip, white, with two large orange blotches, a deep blotch of purple on the tip, the whole margin enriched with a dainty feather-like fimbriation.

Lot

284	One bundle of imported plants	
285	do	do
286	do	do
287	do	do
288	do	do

Lot

289	One bundle of imported plants	
290	do	do
291	do	do
292	do	do
293	do	do

PHAIUS HYBRIDS

Raised from the finest specimens of the parent plants.

Phaius Cooksoniae (*P. grandifolius* x *P. Humblotii*)

Lot

294 Strong healthy plant, 6 bulbs, 2 leads

Phaius Phœbe (*P. Blumei* var. *Sanderianus* x *P. Humblotii*)

Lot

295 Strong healthy plant, 4 bulbs, 2 leads

Phaius Norman (*P. Blumei* var. *Sanderianus* x *P. tuberculosus*)

Lot

296 Strong healthy plant, 3 bulbs, 2 leads

COELOGYNE PANDURATA

Probably the most remarkable and interesting of all Cœlogynes. Flowers very handsome, large, borne on long arching spikes. Green and black, a combination of color most rare among Orchids; lip shaped like an F violin, handsomely blotched, warted and veined with black on a green ground.

Lot

297 and 298 One imported plant, just as received, on native sticks.

Cypripedium Gratrixianum

This new species has large yellow and white flowers, which are spotted with dark chocolate, the pouch being of a yellow-brownish hue, very glossy. It is a very distinct handsome-

growing plant, with medium-sized glossy green leaves with reddish brown tessellations at the base. The flowers are borne on fine stout flower stems, and have a very handsome character and appearance. This is altogether a distinguished and beautiful new species.

Lot

299 to 302 One strong healthy well-established plant

CYMBIDIUM SANDERI

A Splendid New Species

This wonderful new species, with its 2 to 3 feet long flower scape, bearing several handsome large-sized flowers, was awarded a First-Class Certificate by the Orchid Committee of the Royal Horticultural Society of England on the 14th of February, 1905. The sepals and petals are white, slightly tinged with pink, and with small purple spots at the base. The lip, which is the beautiful feature of the flower, is large, the side lobes curved to the column, the front lobe expanded; white, with a most beautiful tracing of rose-purple dotted lines on both sides and front lobes.

Lot

303 Strong semi-established plant, 3 bulbs, 2 strong growths

ANTHURIUM SEEDLINGS

Flowers very showy, long-lasting and most useful for cutting.

Lot

304 to 312 One strong healthy plant

LAELIA AUTUMNALIS ATRORUBENS

The finest variety of this handsome Orchid. We have flowered some magnificent forms, and similar ones may be expected among these plants.

Lot

313	One selected many-bulbed imported plant		
314	do	do	do
315	do	do	do
316	do	do	do
317	do	do	do
318	do	do	do
319	do	do	do
320	do	do	do
321	do	do	do
322	do	do	do
323	do	do	do
324	do	do	do
325	do	do	do
326	do	do	do
327	do	do	do
328	do	do	do
329	do	do	do
330	do	do	do
331	do	do	do
332	do	do	do
333	Four fine imported plants		
334	do	do	
335	do	do	
336	do	do	
337	do	do	
338	do	do	
339	do	do	
340	do	do	
341	do	do	
342	do	do	

CATTLEYA, LAELIA AND LAELIO CATTLEYA

HYBRIDS UNFLOWERED

Same as lots 222 to 241.

Selected from the best varieties of the parent plants, with
from 3 to 5 bulbs each.

Laelio-Cattleya Bletchleyensis x Laelia Digbyana

Lot
343 Strong healthy plant

Laelia Purpurata x Laelio-Cattleya Gottoiana

Lot
344 Strong healthy plant

Laelia Tenebrosa x Cattleya Mendelii

Lot
345 Strong healthy plant

Cattleya Granulosa x Cattleya Gigas

Lot
346 Strong healthy plant

Cattleya Granulosa x Laelia Tenebrosa

Lot
347 Strong healthy plant

Cattleya Aurea x Cattleya Hardyana

Lot
348 Strong healthy plant

Cattleya Mendelii x Cattleya Acklandiae

Lot
349 Strong healthy plant

Cattleya Loddigesii x Laelia Tenebrosa

Lot
350 Strong healthy plant

Laelio-Cattleya Bella x Cattleya Warneri

Lot
351 Strong healthy plant

Cattleya Warneri x Laelia Purpurata

352 Strong healthy plant

CATTLEYA SCHRODERAE

One of the most chaste and beautiful of all Cattleyas. Its blossoms are of great size, perfect in shape, and of lasting substance, very fragrant and freely produced.

There is no Cattleya that can surpass this for elegance and beauty of form.

Lot

353 to 357 One selected plant

CATTLEYA TRIANAE

A grand winter-flowering species and the most popular variety for cutting.

Lot

358 One selected plant

359 do do

360 do do

361 do do

362 do do

363 do do

364 do do

365 do do

366 do do

367 do do

368 do do

369 do do

370 do do

371 do do

372 do do

373 do do

374 do do

375 do do

376 do do

377 do do

LAELIA ORACLE

(L. Pumila x L. Elegans Schilleriana)

Lot

378 One strong healthy plant, 6 bulbs

CYPRIPEDIUM SEEDLINGS

The following are seedlings raised from crosses effected with superior forms of the finest species, but their origin cannot definitely be stated, as the records of their parentages have been lost.

Lot

379	One strong healthy plant	
380	do	do
381	do	do
382	do	do
383	do	do
384	do	do
385	do	do
386	do	do
387	do	do
388	do	do

DENDROBIUM THYRSIFLORUM

Bears great pendent bunches of splendid white and golden yellow blossoms, often over 100 in a single raceme. A grand exhibition Dendrobie and always creating much admiration when in bloom.

Lot

389	One selected many-bulbed plant	
390	do	do
391	do	'do'
392	do	do
393	do	do
394	do	do
395	do	do
396	do	do
397	do	do
398	do	do
Lot		
399 to 403	Two very fine plants	

LAEGLA ANCEPS ALBA

The blossoms of this rare Lælia appear in mid-winter. The extraordinary texture of its flowers and their snowy whiteness make them useful decorative Orchids, remaining much longer in a fresh state than the typical red *L. anceps*.

Lot

404 to 406 One selected plant

CATTLEYA LAELIA AND LAELIO CATTLEYA

HYBRIDS UNFLOWERED

Same as lots 222 to 241.

Selected from the best varieties of the parent plants; 3, 4 and 5 bulbs each.

Cattleya Amethystoglossa x Cattleya Gigas Sanderiana

Lot

407 Strong healthy plant

Cattleya Hardyana x Cattleya Velutina

Lot

408 Strong healthy plant

Lælio-Cattleya Canhamiana x Lælia Crispa

Lot

409 Strong healthy plant

Lælia Grandis x Lælia Tenebrosa

Lot

410 Strong healthy plant

Laelia Tenebrosa x Cattleya Gaskelliana

Lot

411 Strong healthy plant

Laelio-Cattleya Acis x Laelia Flava

Lot

412 Strong healthy plant

Cattleya Warneri x Laelio-Cattleya Aphrodite

Lot

413 Strong healthy plant

Laelio-Cattleya Gottoiana x Laelia Digbyana

Lot

414 Strong healthy plant

Laelia Flava x Laelia Purpurata

Lot

415 Strong healthy plant

Laelia Flava x Laelia Jongheana

Lot

416 Strong healthy plant

Laelio-Cattleya Seedlings

The following are seedlings raised from crosses effected with superior forms of the finest species, but their origin cannot definitely be stated, the record of their parentage having been lost.

Lot

417 One strong healthy plant

418 do do

419 do do

Lot

420	One strong, healthy plant	
421	do	do
422	do	do
423	do	do
424	do	do
425	do	do
426	do	do

DENDROBIUM NOBILE

Our Celebrated Lang Tang Mountain Strain

Unequaled for profusion of distinct and valuable varieties from it. This splendid strain of nobiles is now well known. We are constantly receiving communications praising the varieties obtained from it. It is a fine Orchid, easily grown and free-flowering. The flowers are brilliantly colored, useful for cutting.

Imported Plants

Lot

427	One selected many-bulbed plant	
428	do	do
429	do	do
430	do	do
431	do	do
432	do	do
433	do	do
434	do	do
435	do	do
436	do	do
437	Four fine plants	
438	do	
439	do	
440	do	
441	do	
442	do	
443	do	
444	do	
445	do	

Lot

446 Four fine plants
447 do
448 do
449 do
450 do
451 do
452 do
453 do
454 do
455 do
456 do

CYPRIPEDIUM BELLATULUM

HYBRIDS UNFLOWERED

The illustration given shows one of our bellatulum crosses, and it is with every confidence that we can recommend these now offered as being sure to result in some very fine products.

Bellatulum x Curtisi

Lot

457 Fine healthy plant, 1 strong growth, 5 leaves

Bellatulum x Mastersianum

Lot

458 Fine healthy plant, 1 strong growth, 6 leaves

Bellatulum x Dayanum

Lot

459 Fine healthy plant, 1 strong growth, 5 leaves

Bellatulum x Wm. Matthews

Lot

460 Fine healthy plant, 1 strong growth, 5 leaves

Lawrenceanum x Bellatulum

Lot

461 Fine healthy plant, 1 strong growth, 5 leaves

Cypripedium Mastersianum x Cypripedium Niveum

Lot

462 Fine healthy plant, 1 strong growth, 4 leaves

LAELIO-CATTLEYA HETTIE

(*L. Tenebrosa* x *C. Gigas*)

One of the most handsome and useful varieties of Lælio-Cattleya ever raised. The flowers are large, of varying shades of rosy purple, crimson and maroon. The large lip, both inside and out, is usually a rich crimson, tinged with purple.

Lot

463 One strong healthy plant, 6 bulbs, 1 is a lead

CATTLEYA PORTIA

(*C. Bowringiana* x *C. Labiata*)

This is one of the most beautiful of the *C. Bowringiana* crosses, and the whole of this set of hybrids improves as the plants get stronger. The sepals and petals are deep rose, of fine shape and substance, the lip rich crimson-purple, side lobes purple, shading to yellow, suffused with brown at the base.

Lot

464 Fine healthy well-rooted plant, 6 bulbs, 1 is a lead

A DENDROBIUM FOR FLORISTS

Flowers Snow-White, 4 to 5 Inches Across, Carried in Clusters

DENDROBIUM FORMOSUM GIGANTEUM

Easy to Grow. Free to Flower. Useful to Cut.

Every florist should have a stock of this grand and most useful Orchid. It is truly a florist's Orchid, one of the best for cutting; great clusters of snow-white blooms appear at the apex of the bulbs and are larger than any known Dendrobium. Utilized with great effect both by the florist and decorator.

Lot

465	One strong selected imported plant	
466	do	do
467	do	do
468	do	do
469	do	do
470	do	do
471	do	do
472	do	do
473	do	do
474	do	do
475	do	do
476	do	do
477	do	do
478	do	do
479	do	do
480	do	do
481	do	do
482	do	do
483	do	do
484	do	do
485	Six fine imported plants	
486	do	do
487	do	do
488	do	do
489	do	do
490	do	do

Lot		
491	Six fine imported plants	
492	do	do
493	do	do
494	do	do

LYCASTE SKINNERI

A splendid winter-flowering, cool-house Orchid. Of the greatest possible use to the florist. The large fleshy, long-lasting flowers vary in color from pure white to deep crimson and light rose. Fine for cutting.

Lot		
495 to 500	One selected plant	

WATSONIA ARDERNEI

Well Ripened Bulbs in Splendid Order

This magnificent white-flowered Gladiolus-like plant is the finest of all white Watsonias.

For the cool greenhouse, conservatory, for the warm south border in the open air, for wreaths, bouquets and for all floral decoration, it is unrivaled and unapproachable. Very floriferous; of easy culture.

Lot		
501 to 505	Two selected bulbs	

ONCIDIUMS IN VARIETY

Among these will be found one Crispum Prætextum, and others.

Lot		
506	Four established plants	
507	do	do
508	do	do
509	do	do
510	do	do
511	do	do
512	do	do
513	do	do
514	do	do

Lot
515 Four established plants
516 do do
517 do do
Lot
518 One case of mixed Orchids in variety

LYCASTE SKINNERI ALBA

Blossoms pure snow white.

Lot
519 Strong healthy plant of this very rare species

Another Property.

DENDROBIUM CHRYSOTOXUM

Blossoms produced in dense clusters in profusion from the apex of the bulbs.

Lot
520 Two well-established plants
521 do do
522 do do
523 do do
524 do do
525 do do
526 do do
527 do do
528 do do
529 do do
530 do do
531 do do

CATTLEYA INTERMEDIA

Several large flowers produced on a strong, erect stem.

Lot
532 to 539 Strong established plant

LAELIA PERRINI

Lot
540 to 543. One fine established plant

LAELIA ANCEPS

A free-flowering winter-blooming Orchid.

Lot
544 Two strong plants

ONCIDIUM SPHACELATUM

Lot
545 to 548 Strong plant in spike

ODONTOGLOSSUM CITROSMUM

Lot
549 to 552 One established plant

DENDROBIUM WARDIANUM

Lot
553 to 558 Two established plants

CATTLEYA TRIANAE

The most popular of all winter-flowering Cattleyas.

Lot
559 to 564 One established plant

CYPRIPEDIUM LAWRENCEANUM

Very useful, large, free-flowering variety for cutting.

Lot
565 to 570 Strong plant, several healthy growths, some showing spikes

CATTLEYA HARRISONIAE

A beautiful pink flowering Cattleya, several produced on a stem.

Lot

571 to 575 One established plant

LAELIA ELEGANS

Very rare in its native country.

Lot

576 to 578 One strong plant

VANDA KIMBALLIANA

A very showy winter-flowering variety.

Lot

579 to 585 Strong healthy plant, several growths

SOBRALIA MACRANTHA

Lot


586 Strong established plant, several stems


(a)

(b)

(c)

(d)







SPECIAL OFFER.

F. SANDER & CO.,

ST. ALBANS (England); & BRUGES (Belgium.)

ORCHIDS.

THE following list comprises those Orchids which, from our experience, we can thoroughly recommend as being of easy culture, and producing showy, serviceable flowers.

The prices in every case apply to thoroughly sound, established plants, clean, healthy, and well grown, true to name, with all their native vigour intact—strong enough to flower in their respective seasons. Where two or more prices are given, the lowest price applies to flowering, sized plants, and the higher prices represent increased size. Various sized plants can be obtained at intermediate prices. *Being very large importers, we are enabled to keep our immense and varied stock always at par, and purchasers may fully rely on securing the best possible value.*

We shall have great pleasure in making quotations for any plants not mentioned in this list, for specimens, for special varieties, or in advising intending purchasers on the kinds most suited to their houses and requirements.

The letters *S* (stove), *I* (intermediate), and *C* (cool), opposite each plant, refer to the respective houses most suitable to the plants. The temperatures for which are as follows :—

<i>Stove.—</i>	winter	minimum 60 deg., maximum 70 deg. Fah.
	summer	65 deg., " 80 deg. "
<i>Intermediate.—</i>	winter	55 deg., " 65 deg. "
	summer	60 deg., " 70 deg. "
<i>Cool.—</i>	winter	45 deg., " 57 deg. "
	summer	as near 60 deg. as possible.

For full particulars, cultural notes, watering, potting, shading, ventilation ; also descriptions of the plants, dimensions, colour of flowers, their countries, seasons of flowering, list of hybrids, &c., see "*Sander's Orchid Guide*," now ready, price 3.00 ; interleaved, 5.00 each.

Our Nurseries are always open to inspection, and are within easy reach of the Midland, London and North Western, and

Great Northern Railways. By the latter line, passengers from London who wish to visit our Nurseries, may alight in our glass houses on advising the platform inspector and guard at Hatfield Station. Frequent trains can be obtained from St. Pancras, King's Cross, and Euston. We have the largest, finest, and healthiest collection of Orchids in the world, and your visit would be much appreciated.

<i>C</i>	<i>Ada aurantiaca</i>	.	.	1.00 to 2.50
<i>S</i>	<i>Ærides affine</i>	.	.	2.00 to 3.50
<i>S</i>	" <i>Houllettianum</i>	.	.	5.00 to 10.00
<i>S</i>	" <i>Lawrenciae</i>	.	.	10.00 to 25.00
<i>S</i>	" <i>odoratum</i>	.	.	1.50 to 3.50
<i>S</i>	" <i>Sanderianum</i>	.	.	10.00 to 25.00
<i>S</i>	" <i>Savageanum</i>	.	.	5.00 to 15.00
<i>S</i>	<i>Angræcum articulatum</i>	.	.	2.00 to 5.00
<i>S</i>	" <i>Humboldtii</i>	.	.	2.50 to 5.00
<i>S</i>	" <i>Sanderianum</i>	.	.	2.50 to 5.00
<i>S</i>	" <i>sesquipedale</i>	.	.	5.00 to 25.00
<i>C</i>	<i>Anguloa Clowesii</i>	.	.	2.50 to 3.50
<i>I</i>	" <i>Ruckeri</i>	.	.	3.50 to 5.00
<i>C</i>	" <i>uniflora</i>	.	.	3.50 to 5.00
<i>S</i>	<i>Ansellia africana</i>	.	.	2.00 to 3.50
<i>S</i>	<i>Bifrenaria aurantiaca</i>	.	.	2.00 to 3.50
<i>I</i>	" <i>Harrisoniae</i>	.	.	1.50 to 2.50
<i>I</i>	" <i>tyrianthina</i>	.	.	2.00 to 5.00
<i>I</i>	<i>Brassia caudata</i>	.	.	2.00 to 3.50
<i>I</i>	" <i>maculata</i>	.	.	2.00 to 3.50
<i>I</i>	" <i>verrucosa</i>	.	.	1.25 to 2.50
<i>S</i>	<i>Broughtonia sanguinea</i>	.	.	2.50 to 5.00
<i>S</i>	<i>Burlingtonia candida</i>	.	.	1.25 to 2.50
<i>S</i>	" <i>fragrans</i>	.	.	2.00 to 3.50
<i>S</i>	" <i>pubescens</i>	.	.	2.00 to 3.50
<i>S</i>	<i>Calanthe Regnierii</i>	.	.	1.00 to 2.00
<i>S</i>	" <i>rosea</i>	.	.	1.00 to 2.00
<i>S</i>	" <i>Veitchii</i>	.	.	1.00 to 2.00
<i>S</i>	" <i>vestita</i>	.	.	1.00 to 2.00
<i>S</i>	" <i>William Murray</i>	.	.	2.00 to 2.50
<i>S</i>	<i>Cattleya Aclandiae</i>	.	.	1.50 to 2.50
<i>I</i>	" <i>amethystoglossa</i>	.	.	2.00 to 3.50
<i>S</i>	" <i>aurea</i>	.	.	5.00 to 10.00
<i>I</i>	" <i>bicolor</i>	.	.	2.00 to 2.50
<i>I</i>	" <i>Rowringiana</i>	.	.	2.50 to 10.00
<i>I</i>	" <i>Choccensis</i>	.	.	2.00 to 5.00
<i>C</i>	" <i>citrina</i>	.	.	1.00 to 2.00
<i>S</i>	" <i>Dowiana</i>	.	.	3.50 to 10.00
<i>I</i>	" <i>Eldorado</i>	.	.	2.50 to 5.00
<i>I</i>	" <i>Forbesii</i>	.	.	1.25 to 2.50
<i>I</i>	" <i>Gaskelliana</i>	.	.	1.25 to 5.00
<i>I</i>	" <i>gigas</i>	.	.	2.50 to 10.00
<i>I</i>	" <i>guttata</i>	.	.	2.00 to 5.00
<i>I</i>	" <i>Harrisoniae</i>	.	.	1.25 to 2.50
<i>I</i>	" <i>Holfordii</i>	.	.	1.25 to 2.50
<i>I</i>	" <i>intermedia</i>	.	.	1.25 to 2.50
<i>I</i>	" <i>labiata</i>	.	.	1.25 to 2.50
<i>S</i>	" <i>Lawrenceana</i>	.	.	5.00 to 25.00
<i>I</i>	" <i>Loddigesii</i>	.	.	1.25 to 3.50
<i>I</i>	" <i>Lueddemaniiana</i>	.	.	1.25 to 3.50
<i>I</i>	" <i>luteola</i>	.	.	1.25 to 2.50

/	Cattleya	maxima	-	3.50 to 5.00
/	"	Mendelii	-	2.50 to 5.00
/	"	Mossiae	-	1.25 to 10.00
/	"	nobilior	-	5.00 to 10.00
/	"	Percivaliana	-	2.00 to 5.00
/	"	Rex	-	15.00 to 25.00
S	"	Schilleriana	-	3.50 to 10.00
/	"	Schofieldiana	-	2.50 to 5.00
/	"	Schroderae	-	2.00 to 5.00
/	"	Skinneri	-	2.00 to 5.00
/	"	Trianae	-	1.25 to 10.00
/	"	velutina	-	2.50 to 10.00
/	"	Walkeriana	-	2.00 to 5.00
/	"	Warneri	-	2.50 to 3.50
/	Chysis	aurea	-	1.25 to 2.50
/	"	bractescens	-	1.25 to 2.50
C	Cochlioda	Noetzliana	-	2.00 to 5.00
C	"	rosea	-	2.50 to 5.00
C	"	sanguinea	-	2.00 to 5.00
C	"	vulcanica	-	2.50 to 5.00
C	Cœlogyné	barbata	-	2.00 to 5.00
C	"	cristata	-	1.00 to 2.00
C	"	" alba	-	2.50 to 5.00
S	"	Dayana	-	2.50 to 5.00
C	"	lentiginosa	-	1.00 to 2.00
S	"	Massangeana	-	1.25 to 2.50
C	"	ocellata	-	1.25 to 2.00
C	"	ochracea	-	1.25 to 2.00
S	Comparettia	macroplectron	-	2.50 to 3.50
/	Cycnoches	chlorochilon	-	2.50 to 5.00
C	Cymbidium	eburneum	-	1.25 to 2.50
C	"	giganteum	-	2.50 to 10.00
C	"	Hookerianum	-	10.00 to 25.00
C	"	Lowianum	-	1.50 to 3.50
C	"	Tracyanum	-	15.00 to 25.00
/	Cypripedium	Ainsworthii	-	2.00 to 5.00
/	"	Arthurianum	-	2.50 to 5.00
/	"	Ashburtoniae	-	1.25 to 2.50
/	"	barbatum	-	1.00 to 2.50
/	"	Bartetii	-	2.50 to 5.00
S	"	bellatulum	-	1.50 to 2.50
C	"	Boxallii	-	1.25 to 2.50
S	"	callosum	-	1.25 to 2.00
/	"	calophyllum	-	1.25 to 2.50
S	"	calurum	-	1.25 to 2.50
/	"	Calypso	-	3.50 to 7.50
/	"	gaudatum	-	2.50 to 7.50
/	"	chloroneurum	-	1.25 to 2.50
/	"	Charlesworthii	-	1.00 to 2.00
S	"	ciliolare	-	1.25 to 2.50
/	"	conchiferum	-	1.25 to 5.00
/	"	Crossianum	-	1.25 to 5.00
S	"	Curtisii	-	2.50 to 5.00
/	"	Dauthierii	-	1.25 to 2.50
S	"	Dayanum	-	2.00 to 3.00
/	"	exul	-	1.25 to 3.50
/	"	Harrisianum	-	1.25 to 5.00
/	"	Haynaldianum	-	2.50 to 5.00
/	"	hirsutissimum	-	2.00 to 3.50
S	"	Hookeræ	-	1.25 to 2.50
C	"	insigne	-	1.00 to 10.00

<i>C</i>	Cypripedium	insigne Chantinii	-	-	1.50 to 3.50
<i>I</i>	"	Io grande	-	-	10.00 to 15.00
<i>S</i>	"	Javanicum	-	-	1.25 to 2.50
<i>S</i>	"	Lathamianum	-	-	2.00 to 3.50
<i>S</i>	"	Lawrenceanum	-	-	1.00 to 2.00
<i>S</i>	"	Leeanum	-	-	1.50 to 10.00
<i>S</i>	"	superbum	-	-	1.00 to 15.00
<i>I</i>	"	longifolium	-	-	2.00 to 5.00
<i>S</i>	"	Lowii	-	-	2.50 to 10.00
<i>S</i>	"	marmorophyllum	-	-	3.50 to 10.00
<i>S</i>	"	Mastersianum	-	-	2.50 to 5.00
<i>I</i>	"	melanopthalmum	-	-	2.50 to 5.00
<i>S</i>	"	Morganiae	-	-	7.50 to 25.00
<i>C</i>	"	nitens	-	-	2.00 to 10.00
<i>I</i>	"	nitidissimum	-	-	5.00 to 15.00
<i>I</i>	"	niveum	-	-	1.25 to 3.50
<i>I</i>	"	œnanthum	-	-	1.25 to 2.50
<i>I</i>	"	superbum	-	-	5.00 to 10.00
<i>S</i>	"	Parishii	-	-	1.25 to 2.00
<i>I</i>	"	politum	-	-	2.50 to 5.00
<i>I</i>	"	purpuratum	-	-	2.50 to 5.00
<i>S</i>	"	Rothschildianum	-	-	3.50 to 15.00
<i>I</i>	"	Sallierii	-	-	3.50 to 15.00
<i>S</i>	"	Sanderianum	-	-	5.00 to 15.00
<i>C</i>	"	Schlimgii	-	-	2.00 to 5.00
<i>C</i>	"	Sedeni	-	-	1.25 to 2.50
<i>I</i>	"	selligerum	-	-	2.00 to 10.00
<i>I</i>	"	Spicerianum	-	-	1.50 to 3.50
<i>S</i>	"	Stonei	-	-	5.00 to 10.00
<i>S</i>	"	superbiens	-	-	2.50 to 5.00
<i>I</i>	"	Swanianum	-	-	2.50 to 5.00
<i>S</i>	"	sub-læve	-	-	1.25 to 2.50
<i>S</i>	"	tonsum	-	-	2.00 to 5.00
<i>C</i>	"	venustum	-	-	1.00 to 2.00
<i>C</i>	"	villosum	-	-	1.25 to 2.50
<i>S</i>	Dendrobium	aggregatum majus	-	-	1.25 to 2.50
<i>S</i>	"	Ainsworthii	-	-	2.00 to 3.50
<i>S</i>	"	albo-sanguineum	-	-	1.25 to 2.50
<i>S</i>	"	atro-violaceum	-	-	1.25 to 5.00
<i>S</i>	"	aureum	-	-	2.00 to 3.50
<i>S</i>	"	Bensoniae	-	-	2.00 to 3.50
<i>S</i>	"	bigibbum	-	-	2.00 to 3.50
<i>S</i>	"	Brymerianum	-	-	2.50 to 5.00
<i>S</i>	"	Cambridgeanum	-	-	1.25 to 2.50
<i>S</i>	"	cariniferum	-	-	1.25 to 5.00
<i>I</i>	"	chrysanthum	-	-	1.25 to 2.50
<i>I</i>	"	chrysotoxum	-	-	1.25 to 5.00
<i>I</i>	"	clavatum	-	-	1.25 to 5.00
<i>S</i>	"	crassimode	-	-	2.50 to 5.00
<i>S</i>	"	crepidatum	-	-	1.25 to 2.00
<i>S</i>	"	cretaceum	-	-	1.25 to 2.00
<i>S</i>	"	crystallinum	-	-	1.25 to 2.00
<i>S</i>	"	cupreum	-	-	2.50 to 10.00
<i>S</i>	"	Dalhousieanum	-	-	2.50 to 10.00
<i>S</i>	"	Dearei	-	-	2.50 to 5.00
<i>I</i>	"	densiflorum	-	-	1.25 to 3.50
<i>S</i>	"	Devonianum	-	-	1.25 to 2.50
<i>S</i>	"	Draconis	-	-	2.50 to 5.00
<i>I</i>	"	Falconeri	-	-	2.50 to 5.00
<i>S</i>	"	Farmeri	-	-	2.50 to 5.00
<i>I</i>	"	fimbriatum	-	-	1.25 to 2.50

<i>Dendrobium</i>	<i>fimbriatum oculatum</i>		2.00	to	5.00
<i>S.</i>	" <i>Findlayanum</i>		1.25	to	2.50
<i>S.</i>	" <i>formosum giganteum</i>		1.25	to	2.50
<i>C.</i>	" <i>infundibulum</i>		1.00	to	2.50
<i>C.</i>	" <i>Jamesianum</i>		1.00	to	2.50
<i>S.</i>	" <i>Leechianum</i>		2.00	to	5.00
<i>I.</i>	" <i>lituiflorum</i>		2.00	to	5.00
<i>S.</i>	" <i>luteolum</i>		2.00	to	3.50
<i>I.</i>	" <i>marmoratum</i>		1.25	to	2.00
<i>I.</i>	" <i>moschatum</i>		2.50	to	10.00
<i>S.</i>	" <i>nobile</i>		1.00	to	10.00
<i>S.</i>	" <i>Cooksonii</i>		2.00	to	5.00
<i>S.</i>	" <i>Parishii</i>		1.25	to	2.50
<i>S.</i>	" <i>phalaenopsis Schroderianum</i>		1.25	to	5.00
<i>S.</i>	" <i>Pierardii</i>		1.25	to	2.50
<i>S.</i>	" <i>primulinum</i>		1.00	to	2.00
<i>S.</i>	" <i>giganteum</i>		2.00	to	3.50
<i>I.</i>	" <i>speciosum</i>		1.25	to	3.50
<i>S.</i>	" <i>splendidissimum</i>		2.50	to	10.00
<i>S.</i>	" <i>suaviassimum</i>		1.25	to	2.00
<i>S.</i>	" <i>superbiens</i>		10.00	to	25.00
<i>S.</i>	" <i>superbum</i>		5.00	to	10.00
<i>S.</i>	" <i>anosmum</i>		5.00	to	10.00
<i>S.</i>	" <i>giganteum</i>		3.50	to	5.00
<i>S.</i>	" <i>thyrsiflorum</i>		1.50	to	2.50
<i>S.</i>	" <i>tortile</i>		2.00	to	3.50
<i>S.</i>	" <i>Wardianum</i>		1.25	to	5.00
<i>C.</i>	<i>Disa grandiflora</i>		2.50	to	3.50
<i>C.</i>	" <i>racemosa</i>		2.00	to	2.50
<i>I.</i>	<i>Epidendrum atro-purpureum</i>		2.50	to	5.00
<i>I.</i>	" <i>ciliare</i>		1.00	to	2.00
<i>C.</i>	" <i>cochleatum</i>		1.25	to	2.50
<i>I.</i>	" <i>Cooperianum</i>		2.50	to	5.00
<i>I.</i>	" <i>dichromum</i>		2.00	to	5.00
<i>I.</i>	" <i>fragrans</i>		1.25	to	2.00
<i>C.</i>	" <i>nemorale</i>		2.50	to	5.00
<i>S.</i>	" <i>O'Brieniianum</i>		2.50	to	5.00
<i>J.</i>	" <i>osmanthum</i>		1.25	to	5.00
<i>I.</i>	" <i>prismatocarpum</i>		2.50	to	10.00
<i>S.</i>	" <i>radicans</i>		2.00	to	5.00
<i>I.</i>	" <i>Stamfordianum</i>		2.50	to	5.00
<i>C.</i>	" <i>vitellinum autumnalis</i>		1.25	to	3.50
<i>C.</i>	" <i>majus</i>		1.25	to	3.50
<i>I.</i>	<i>Ipsea speciosa</i>		1.25	to	2.50
<i>C.</i>	<i>Laelia acuminata</i>		2.00	to	3.50
<i>C.</i>	" <i>albida</i>		1.00	to	2.00
<i>C.</i>	" <i>anceps</i>		1.25	to	5.00
<i>C.</i>	" <i>autumnalis</i>		1.25	to	2.50
<i>C.</i>	" <i>atro-rubens</i>		2.50	to	5.00
<i>I.</i>	" <i>cinnabarinia</i>		1.25	to	2.50
<i>I.</i>	" <i>crispa</i>		1.25	to	10.00
<i>C.</i>	" <i>Dayana</i>		1.00	to	2.50
<i>I.</i>	" <i>Digbyana</i>		2.50	to	5.00
<i>I.</i>	" <i>Dormaniana</i>		1.25	to	3.50
<i>C.</i>	" <i>flava</i>		2.00	to	5.00
<i>I.</i>	" <i>glauca</i>		1.25	to	2.50
<i>I.</i>	" <i>harpophylla</i>		2.00	to	3.50
<i>C.</i>	" <i>Jongheana</i>		1.25	to	5.00
<i>C.</i>	" <i>majalis</i>		1.25	to	2.50
<i>I.</i>	" <i>Perrinii</i>		1.25	to	5.00
<i>C.</i>	" <i>praestans</i>		2.00	to	3.50

<i>C</i>	Laelia	<i>pumila</i>	-	1.00 to 2.50
<i>I</i>	"	<i>purpurata</i>	-	2.00 to 10.00
<i>I</i>	Leptotes	<i>bicolor</i>	-	1.25 to 2.50
<i>C</i>	Lycaste	<i>aromatica</i>	-	1.25 to 2.50
<i>I</i>	"	<i>Barringtoniae</i>	-	2.00 to 3.50
<i>C</i>	"	<i>cruenta</i>	-	1.25 to 2.50
<i>C</i>	"	<i>Deppei</i>	-	1.25 to 2.50
<i>C</i>	"	<i>lanipes</i>	-	2.50 to 5.00
<i>C</i>	"	<i>plana</i>	-	2.00 to 3.50
<i>C</i>	"	<i>Skinneri</i>	-	1.00 to 1.50
<i>C</i>	"	<i>alba</i>	-	15.00 to 25.00
<i>C</i>	Masdevallia	<i>amabilis</i>	-	1.25 to 3.50
<i>C</i>	"	<i>Backhouseana</i>	-	2.50 to 5.00
<i>C</i>	"	<i>bella</i>	-	1.25 to 2.50
<i>C</i>	"	<i>Benedictii</i>	-	1.25 to 2.50
<i>C</i>	"	<i>chimæra</i>	-	2.00 to 3.50
<i>C</i>	"	<i>coccinea</i>	-	2.00 to 3.50
<i>C</i>	"	<i>Harryana</i>	-	1.00 to 5.00
<i>C</i>	"	<i>ignea</i>	-	1.25 to 3.50
<i>C</i>	"	<i>infracta</i>	-	2.00 to 3.50
<i>C</i>	"	<i>leontoglossa</i>	-	5.00 to 10.00
<i>C</i>	"	<i>Lindenii</i>	-	1.00 to 2.50
<i>C</i>	"	<i>macrura</i>	-	2.50 to 5.00
<i>C</i>	"	<i>maculata</i>	-	1.00 to 2.50
<i>C</i>	"	<i>melanopus</i>	-	1.25 to 3.50
<i>C</i>	"	<i>Peristeria</i>	-	2.50 to 5.00
<i>C</i>	"	<i>polysticta</i>	-	1.25 to 2.00
<i>C</i>	"	<i>racemosa</i>	-	2.50 to 10.00
<i>C</i>	"	<i>Reichenbachiana</i>	-	2.50 to 3.50
<i>C</i>	"	<i>Shuttleworthii</i>	-	2.50 to 5.00
<i>C</i>	"	<i>Tovarensis</i>	-	1.00 to 2.50
<i>C</i>	"	<i>triangularis</i>	-	1.25 to 2.50
<i>C</i>	"	<i>Veitchiana</i>	-	1.25 to 2.50
<i>C</i>	"	grandiflora	-	10.00 to 15.00
<i>C</i>	Maxillaria	<i>grandiflora</i>	-	2.00 to 5.00
<i>C</i>	"	<i>luteo-alba</i>	-	2.00 to 2.50
<i>C</i>	"	<i>picta</i>	-	1.00 to 2.50
<i>C</i>	"	<i>Sanderiana</i>	-	2.50 to 10.00
<i>C</i>	"	<i>tenuifolia</i>	-	1.00 to 5.00
<i>C</i>	"	<i>venusta</i>	-	1.25 to 5.00
<i>I</i>	Miltonia	<i>candida</i>	-	2.50 to 5.00
<i>I</i>	"	<i>Clowesii</i>	-	1.25 to 5.00
<i>I</i>	"	<i>cuneata</i>	-	2.00 to 5.00
<i>I</i>	"	<i>flavescens</i>	-	2.00 to 5.00
<i>I</i>	"	<i>Moreliana</i>	-	2.50 to 10.00
<i>I</i>	"	<i>phalaenopsis</i>	-	2.00 to 5.00
<i>I</i>	"	<i>Regnellii</i>	-	5.50 to 10.00
<i>I</i>	"	<i>Roezlii</i>	-	2.00 to 5.00
<i>I</i>	"	<i>spectabilis</i>	-	2.00 to 5.00
<i>I</i>	"	<i>vexillaria</i>	-	2.00 to 5.00
<i>C</i>	Odontoglossum	<i>Alexandriæ</i>	-	1.25 to 3.50
<i>C</i>	"	<i>Andersonianum</i>	-	1.25 to 5.00
<i>C</i>	"	<i>baphicanthum</i>	-	1.25 to 5.00
<i>C</i>	"	<i>Bicornense</i>	-	1.25 to 2.50
<i>C</i>	"	<i>blandum</i>	-	2.50 to 10.00
<i>C</i>	"	<i>Cervantesii</i>	-	1.00 to 2.50
<i>C</i>	"	<i>cirrhosum</i>	-	1.25 to 5.00
<i>C</i>	"	<i>citrosum</i>	-	1.00 to 2.50
<i>C</i>	"	<i>constrictum</i>	-	1.25 to 2.50
<i>C</i>	"	<i>Coradinei</i>	-	2.50 to 10.00
<i>C</i>	"	<i>cordatum</i>	-	1.00 to 2.50

<i>C</i>	<i>Odontoglossum</i>	<i>crispum</i> , <i>see</i> <i>Alexandriæ</i> .	
<i>C</i>	"	<i>Edwardii</i>	2.50 to 25.00
<i>C</i>	"	<i>facetum</i>	3.50 to 10.00
<i>C</i>	"	<i>gloriosum</i>	1.00 to 2.50
<i>C</i>	"	<i>grande</i>	1.25 to 2.50
<i>C</i>	"	<i>Hallii</i>	2.00 to 5.00
<i>C</i>	"	<i>Harryanum</i>	2.50 to 5.00
<i>C</i>	"	<i>hastilabium</i>	2.00 to 5.00
<i>C</i>	"	<i>hebraicum</i>	5.00 to 15.00
<i>C</i>	"	<i>Hunnewellianum</i>	3.50 to 15.00
<i>C</i>	"	<i>Insleayi</i>	1.25 to 5.00
<i>C</i>	"	<i>Lindleyanum</i>	1.00 to 2.50
<i>C</i>	"	<i>luteo-purpureum</i>	2.00 to 5.00
<i>C</i>	"	<i>maculatum</i>	1.00 to 2.50
<i>C</i>	"	<i>madrense</i>	2.50 to 5.00
<i>C</i>	"	<i>mirandum</i>	2.00 to 3.50
<i>C</i>	"	<i>nebulosum</i>	1.25 to 2.50
<i>C</i>	"	<i>odoratum</i>	1.00 to 2.00
<i>C</i>	"	<i>Pescatorei</i>	1.25 to 5.00
<i>C</i>	"	<i>pulchellum majus</i>	1.25 to 3.50
<i>C</i>	"	<i>ramosissimum</i>	3.50 to 10.00
<i>C</i>	"	<i>Rossii majus</i>	1.00 to 2.00
<i>C</i>	"	<i>Sanderianum</i>	1.25 to 2.50
<i>C</i>	"	<i>sceptrum</i>	2.50 to 10.00
<i>C</i>	"	<i>tripudians</i>	2.00 to 5.00
<i>C</i>	"	<i>triumphans</i>	2.00 to 3.50
<i>I</i>	<i>Oncidium</i>	<i>altissimum</i>	1.25 to 2.50
<i>S</i>	"	<i>ampliatum majus</i>	2.50 to 10.00
<i>I</i>	"	<i>barbatum</i>	1.25 to 2.00
<i>C</i>	"	<i>candidum</i>	1.25 to 2.00
<i>I</i>	"	<i>Cavendishianum</i>	1.25 to 2.50
<i>C</i>	"	<i>concolor</i>	2.00 to 10.00
<i>C</i>	"	<i>crispum</i>	1.25 to 3.50
<i>C</i>	"	<i>dasytyle</i>	1.00 to 2.00
<i>C</i>	"	<i>excavatum</i>	1.25 to 5.00
<i>I</i>	"	<i>flexuosum</i>	1.00 to 5.00
<i>C</i>	"	<i>Forbesii</i>	2.00 to 3.50
<i>C</i>	"	<i>incurvum</i>	1.25 to 3.50
<i>S</i>	"	<i>Krauterianum</i>	2.00 to 5.00
<i>C</i>	"	<i>macranthum</i>	2.50 to 25.00
<i>C</i>	"	<i>Marshallianum</i>	2.00 to 10.00
<i>C</i>	"	<i>ornithorynchum</i>	1.00 to 2.50
<i>S</i>	"	<i>Papilio</i>	1.25 to 5.00
<i>C</i>	"	<i>prætextum</i>	1.25 to 3.50
<i>I</i>	"	<i>pubes</i>	1.00 to 2.00
<i>I</i>	"	<i>sarcodes</i>	1.25 to 10.00
<i>I</i>	"	<i>splendidum</i>	3.50 to 10.00
<i>C</i>	"	<i>tigrinum</i>	1.25 to 5.00
<i>C</i>	"	<i>varicosum Rogersii</i>	1.25 to 3.50
<i>I</i>	<i>Peristeria</i>	<i>elata</i>	2.00 to 5.00
<i>S</i>	<i>Phaius</i>	<i>Blumei</i>	2.00 to 5.00
<i>S</i>	"	<i>grandifolius</i>	1.25 to 5.00
<i>S</i>	"	<i>maculatus</i>	2.00 to 5.00
<i>S</i>	"	<i>Sanderianus</i>	2.00 to 10.00
<i>S</i>	"	<i>Wallichii</i>	2.00 to 5.00
<i>S</i>	<i>Phalaenopsis</i>	<i>amabilis</i>	2.50 to 10.00
<i>S</i>	"	<i>Esmeralda</i>	2.00 to 3.50
<i>S</i>	"	<i>grandiflora</i>	2.50 to 5.00
<i>S</i>	"	<i>Sanderiana</i>	5.00 to 15.00
<i>S</i>	"	<i>Schilleriana</i>	3.50 to 10.00
<i>S</i>	"	<i>Stuartiana</i>	3.50 to 10.00

<i>C</i>	<i>Pilumna fragrans</i>	-	1.25 to 2.50
<i>C</i>	" <i>nobilis</i>	-	2.00 to 5.00
<i>S</i>	<i>Platyclinis Cobbiana</i>	-	2.50 to 5.00
<i>S</i>	" <i>filiformis</i>	-	2.00 to 5.00
<i>I</i>	" <i>glumacea</i>	-	2.00 to 5.00
<i>S</i>	" <i>uncata</i>	-	2.50 to 5.00
<i>C</i>	<i>Pleione Hookeriana</i>	-	1.25 to 2.50
<i>C</i>	" <i>humilis</i>	-	1.00 to 1.25
<i>C</i>	" <i>lagenaria</i>	-	1.00 to 1.25
<i>I</i>	" <i>maculata</i>	-	1.00 to 1.25
<i>C</i>	" <i>Wallichiana</i>	-	1.00 to 1.25
<i>I</i>	<i>Renanthera Imschootiana</i>	-	2.50 to 5.00
<i>C</i>	<i>Restrepia antennifera</i>	-	2.00 to 3.50
<i>S</i>	<i>Saccolabium Blumei</i>	-	2.00 to 5.00
<i>S</i>	" <i>coelestis</i>	-	5.00 to 7.50
<i>S</i>	" <i>curvifolium</i>	-	1.25 to 5.00
<i>S</i>	" <i>giganteum</i>	-	2.00 to 5.00
<i>S</i>	" <i>guttatum</i>	-	2.50 to 5.00
<i>I</i>	<i>Sarcocilus Hartmanni</i>	-	1.25 to 2.50
<i>I</i>	<i>Sobralia macrantha</i>	-	1.50 to 5.00
<i>I</i>	" <i>xantholeuca</i>	-	15.00 to 25.00
<i>I</i>	<i>Schomburgkia crispa</i>	-	1.25 to 5.00
<i>I</i>	" <i>tibiciniflora</i>	-	3.50 to 10.00
<i>C</i>	<i>Sophronitis grandiflora</i>	-	1.25 to 2.50
<i>I</i>	<i>Stanhopea eburnea</i>	-	3.50 to 7.50
<i>I</i>	" <i>ecornuta</i>	-	2.00 to 3.50
<i>I</i>	" <i>graveolens</i>	-	1.25 to 3.50
<i>I</i>	" <i>insignis</i>	-	2.00 to 5.00
<i>I</i>	" <i>oculata</i>	-	1.25 to 5.00
<i>I</i>	" <i>tigrina</i>	-	2.50 to 10.00
<i>I</i>	" <i>Wardii</i>	-	2.50 to 5.00
<i>C</i>	<i>Stenoglottis longifolia</i>	-	1.25 to 2.50
<i>S</i>	<i>Thunia alba</i>	-	1.00 to 1.50
<i>S</i>	" <i>Bensoniae</i>	-	2.00 to 2.50
<i>S</i>	" <i>Marshalliana</i>	-	1.00 to 1.50
<i>S</i>	" <i>pulchra</i>	-	1.25 to 2.50
<i>S</i>	" <i>Veitchiana</i>	-	2.50 to 3.50
<i>I</i>	<i>Trichopilia coccinea</i>	-	1.25 to 5.00
<i>I</i>	" <i>crispa</i>	-	5.00 to 10.00
<i>I</i>	" <i>suavis</i>	-	1.25 to 5.00
<i>I</i>	" <i>tortilis</i>	-	1.25 to 2.50
<i>C</i>	<i>Trichosma suavis</i>	-	1.00 to 2.50
<i>I</i>	<i>Vanda Amesiana</i>	-	2.00 to 5.00
<i>S</i>	" <i>Bensoniae</i>	-	1.25 to 5.00
<i>S</i>	" <i>cœrulea</i>	-	2.50 to 5.00
<i>S</i>	" <i>cœrulescens</i>	-	2.00 to 5.00
<i>S</i>	" <i>Hookeriana</i>	-	2.50 to 5.00
<i>S</i>	" <i>insignis</i>	-	3.50 to 15.00
<i>S</i>	" <i>Kimballiana</i>	-	1.25 to 3.50
<i>S</i>	" <i>Parishii</i>	-	3.50 to 7.50
<i>S</i>	" <i>Roxburghii</i>	-	1.25 to 2.50
<i>S</i>	" <i>suavis</i>	-	3.50 to 7.50
<i>S</i>	" <i>teres</i>	-	1.25 to 3.50
<i>S</i>	" <i>tricolor</i>	-	2.50 to 5.00
<i>I</i>	<i>Zygotepetalum brachypetalum</i>	-	1.50 to 3.50
<i>I</i>	" <i>crinitum</i>	-	1.50 to 3.50
<i>I</i>	" <i>Gautierii</i>	-	3.50 to 7.50
<i>I</i>	" <i>intermedium</i>	-	2.50 to 5.00
<i>I</i>	" <i>Mackayii</i>	-	1.50 to 5.00